




National Institute for Physics and Nuclear Engineering – IFIN-HH





Physics motivation



Following A.H. Mueller approximations NP A715(2003)20

System	Au-Au	Pb-Pb	Pb-Pb	pp
$\sqrt{s}(GeV)$	200	2700	5020	7000
$\frac{dN_g^{in}}{dyd^2b}(fm^{-2})$	≈4.7	≈11.8	≈15.9	≈18.7
f_{in}^g	≈0.9	≈2.3	≈3.1	≈3.6

Highlights of accomplishments in the last year

Physics

- Studies for obtaining p_T spectra simultaneously conditioned on multiplicity, directivity and within same-side, away-side and in between for different cuts in η relative to the leading particle for identified charged hadrons in pp collisions at $\sqrt{s} = 7$ TeV. Implementation of unfolding based on a multi-dimensional detector response matrix.
- Studies of two charged particles correlations as a function of multiplicity and directivity in pp collisions at $\sqrt{s} = 7$ TeV. Cross-checks at $\sqrt{s} = 7$ TeV and similar studies for pp collisions at $\sqrt{s} = 13$ TeV are in progress.
- Studies on the core-corona interplay at LHC and RHIC energies based on experimental data and Glauber MC estimates.
 The existing experimental data were carefully analyzed, extrapolations and interpolations of p_T spectra were performed in a consistent way, final results are expected soon.
- 15 presentations in ALICE meetings (TPCU and Spectra-PAG)
- Contribution to 17 conference presentations
- Co-authors to 30 ALICE published papers
- 2 ALICE related physics papers, independent of ALICE Collaboration
- Color Glass Condensate inspired scaling variable and system size dependence A. Lindner, Annual Scientific Meeting, University of Bucharest, 21-22 June, 2019
- Towards Color Glass Condensate at LHC energies
 D. Avramescu, IFIN Young scientist days, Bucharest, 17 December, 2018
- Dependence of different observables on the CGC inspired variable for light flavor hadrons in pp and A-A collisions at RHIC and LHC energies
 A. Lindner, IFIN – Young scientist days, Bucharest, 17 December, 2018
 - Multiplicity dependence of light-flavor hadron production in pp collisions at $\sqrt{s} = 7$ TeV; PC members Phys.Rev.C99(2019)024906

Highlights of accomplishments in the last year

Physics

- On similarities as a function of system size in heavy ion collisions M.Petrovici, A.Lindner and A.Pop AIP Conference Proceedings 2076(2019)040001
- Multiplicity-dependent pT distributions of identified particles in ppcollisions at 7 TeV within the HIJING/B v2.0 model V. Topor Pop and M. Petrovici Phys. Rev. C 98, 064903 Published 10 December 2018
- Why pp collisions at 14 TeV?
 C. Andrei, D. Avramescu, I. Berceanu, A. Bercuci, A. Herghelegiu, A. Lindner, M. Petrovici, A. Pop, C. Schiaua, M. Tarzila ALICE-ANA-2019-26.08 Internal Note
- Charged particle multiplicity and event shape dependence of two charged particle correlations in pp collisions at √s =7 TeV M.Tarzila, C.Andrei, M.Petrovici, A.Pop ALICE Week, PWG-MM mini workshop, March 28, 2019
- What's really new at LHC energies?
 C. Andrei, D. Avramescu, I. Berceanu, A. Bercuci, A. Herghelegiu, A. Lindner, M.Petrovici, A. Pop, C. Schiaua, M. Tarzila Spectra PAG, September 16, 2019
- R_{AA} , R_{CP} and normalized ratios, with and without Core-Corona corrections scaling as a function of N_{part} in progress
- A consistent treatment of pp and A-A collisions at LHC energies was started. First results within CGC framework for pp and Pb-Pb collisions at LHC energies were obtained – work in progress (Dana Avramescu - YSF presentation)
- NIHAM Status and Performance
 C. Schiaua
 9th Annual ALICE Tier-1/Tier-2 Wokshop, 14-16 May, Bucharest, 2019

Highlights of accomplishments in the last year

•ALICE upgrade

- 20 TPC - OROCs were successfully finalized, tested and transported at CERN, passing the upon arrival tests; already installed in the TPC, preliminary tests are in progress.

Computing

- NIHAM maintained the leading position among Tier2s ALICE GRID centers.

A new data storage capacity of 4.6 PB raw and 3.82 PB effective was installed and is currently in operation.

Another data storage unit of 2.3 PB raw and 1.91 PB effective was purchased and will be installed beginning next year. Two new cooling units were purchased and their installation is in progress.


NAF is efficiently managed.


Teaching & Outreach

- Summer student program: 3 participants: 2 from Faculty of Physics, University of Bucharest and 1 from Universidad Complutense de Madrid, Spain.

 Lectures were presented by HPD members (http://niham.nipne.ro/lectures.html)
- Numerous visits of Romanian and foreign delegations, Romanian pupils winners of International Competitions in Physics
- The first number of the HPD Courier was issued (http://niham.nipne.ro/HPD-Courier_electronic-version.pdf)
 The second one will be dedicated to the 70th anniversary of the Institute for Physics of Romanian Academy, founded by Horia Hulubei, the precursor of IFIN-HH and will be issued in December 2019
- visit of the participants to the 9th Annual ALICE Tier-1/Tier-2 Workshop, 14-16 May, Bucharest, 2019
- More details could be seen in:
 https://niham.nipne.ro
 https://www.youtube.com/watch?v=OJd4fA0xUh0
 https://www.facebook.com/Hadron-Physics-Department-211078852968333/

Core-Corona







Physics p_T spectra - ratio to mult. cut



Multi differential analysis




Physics




$$R_{AA}$$
, R_{CP} and $rac{\left[rac{d^2\sigma}{dydp_T}/< dN_{ch}/d\eta)>
ight]^{(\% {
m bin})}}{\left[rac{d^2\sigma}{dydp_T}/< dN_{ch}/d\eta>
ight]^{(p+p)^{MB}}}$

N_{part} scaling



$$R_{AA}$$
, R_{CP} and $rac{\left[rac{d^2\sigma}{dydp_T}/< dN_{ch}/d\eta)>
ight]^{(\% {
m bin})}}{\left[rac{d^2\sigma}{dydp_T}/< dN_{ch}/d\eta>
ight]^{(p+p)^{MB}}}$

N_{part} scaling



Physics


Simulating the initial stage of hadron-hadron collisions

A. Ipp, D. Mueller [arXiv:1703.00017]

Real-time lattice gauge simulations for the initial conditions of hadron-hadron collisions, done in the CGC framework.


Energy density for Au-Au at $\sqrt{s_{NN}}=200~GeV$

• Longitudinal chromo-electromagnetic fields



Transverse energy density $\varepsilon(\tau, \mathbf{x_T})$

• Expanding Glasma flux tubes



Physics

ALICE Upgrade - a must for multidimensional analysis and rare probes Scale down factors for pp collisions at 7 TeV

AND	pions (no TOF matching condition)	Reduction factor
MB	53534470	-
& multiplicity 40-49	1807777	30
& directivity 0-0.3	327839	5.5
delta phi - outside peaks	87815	3.7
delta y > 1.0 (>1.4)		10 (40)
total	-	6100


STANDALONE	pions (no TOF matching condition)	Reduction factor
MB	53534470	-
multiplicity 40-49	1807777	30
directivity 0-0.3	2938389	18
delta phi - outside peaks	14768870	3.6
delta y > 1.0	_	10

Assembling, Testing & Transport to CERN - SUCCESSFULLY FINALIZED!

Anode current XY OROC1

Anode current XY OROC2

20th OROC test results




Last transport to CERN




Upgraded TPC ready for tests







HPD contribution to the ALICE Experiment



NIHAM Data Centre performance








Kolkata-CREAM + Kosice_ARC + LBL_HPCS + Legnaro + LUNARC + NIHAM + NIPNE + NIPNE_ARC + ORNL + Oxford + Phoenix + Poznan + Pragur

► RRC-KI → SaoPaulo → SARFTI → SNIC → SPbSU → Strasbourg_IRES → Subatech → Torino → Trieste → TriGrid_Catania → Troitsk → UIB → UIB_LHC

+ UNAM_T1 + UPB + Vienna + Wuhan + WUT + ZA_CHPC



bourg IRES · Subatech · Subatech CCIPL · Toring · Trieste · TriGrid Catania · Troitsk · UIB · UIB · UIB · UIB · UNAM T1 · UPB · Vienna · WUT · ZA CHPC

Done jobs statistics

Contribution to ALICE GRID

HPD contribution ~58% of Romanian TR2 Federation Done jobs - NIHAM:

- $-6.2 \cdot 10^6$
- 6.6% of total Tier2 ALICE contribution CPU time NIHAM:
- 6.6 Mhours
- 6.18% of total Tier2 ALICE contribution

NIHAM Upgrades

A new data storage of 4.6 PB Raw/3.82 PB Effective was installed and is currently in operation



An upgrade with 50% more data storage will be done in the next months.

Two new cooling units



Remarks on additional activities


Assembling and tests of 2 new RPC prototypes

In mCBM


FAIR Phase0 @ SIS18























TRD - reconstruction performance




Hdw chain (PCBs) to connect FASP FEE to the C-ROB3 and their realization status



















International group of Post Docs
PhD and Master students

http://ni

http://niham.nipne.ro/HPD-Courier_electronic-version.pdf













Outreach

CERN Courier January 24, 2019
ALICE revitalised



FOPI Photo selected on the occasion of GSI 50th Anniversary



Some of our essential contributions

New Project

Objectives:

- O1. Analysis and physics interpretation of experimental p+p data obtained with the ALICE detector, comparison with p+Pb, Xe-Xe and Pb-Pb results at LHC energies and detailed Monte Carlo simulations.
- O2. Commissioning of the ALICE-TPC using the new ROCs based on GEM technology

- O3. Contribution to the data taking based on ALICE experimental upgraded device
- O4. Operation and development of the NIHAM Data Centre: ALICE GRID site and NAF

Main project activities

- **✓** Geometrical scaling of different observables including strange and multi-strange hadrons.
- ✓ The influence of corona contribution on the trends of different observables and scaling will be studied and core contributions will be extracted based on experimental data and the Glauber Monte-Carlo approach.
- **✓** The influence of the charged particle multiplicity phase space selection on the obtained results.
- ✓ Detailed studies of the dependence of corrections applied to raw spectra on the event shape global variables, the key ingredients in order to access unbiased information based on their selection power.
- ✓ The analysis of experimental data in terms of transverse momentum distributions, yields, average transverse momentum, BGBW fit parameters and their systematics, by applying two dimensional cuts in charged particle multiplicity and event shape will be continued.
- ✓ Differential studies of two-particle correlations as a function of multiplicity and event shapes will be finalized.
- ✓ Based on the previous results and in-progress work, we are planning to extend these studies for pp collisions at $\sqrt{s} = 13$ TeV using the charged particle multiplicity in the central barrel.
- ✓ Detailed comparisons with PYTHIA, EPOS, HIJING and other model predictions will be done.





"The only way to make progress is to defy one of those prohibitions that are uncritically accepted without good reasons" (M. Gell-Mann)

Thank you!

https://niham.nipne.ro

https://www.youtube.com/watch?v=OJd4fA0xUh0

https://www.facebook.com/Hadron-Physics-Department-211078852968333/